

Door Tech Solutions

Access Control

DTS 250 Code lock



DTS 250 Code lock

Description

- * Restrict access for low usage doors
- * Internal or external use
- * Code can be changed quickly
- * Supplied with 6 button code as standard, can be altered to 4,5,6 or 7 digit combination as required
- * Door thickness from 25 mm to 60 mm thick
- * Back set 60 mm as standard
- * Finish Satin stainless steel or polished brass
- * **Digital lock also available with key override**

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 400 Code lock



DTS 400 Codelock

The DTS 400 Codelock is a medium duty mechanical combination lock with full size lever handles. The lever handles allow it to be used where the knob operation push button lock is unsuitable.

Features

- * Medium duty Codelock
- * Weather resistant
- * Outside lever has a slipping clutch to avoid damage to the mechanism if forced
- * Easy code change as often as required
- * Code free option available on both mortice lock and mortice latch Functions
- * Front & back plates only for use with existing mortice lock or latch
- * Finish Polished brass or stainless steel
- * 410 Mortice latch * 415 Mortice latch code free
- * 410 B/B Moritce latch back to back code facility

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

Door-Tech Solutions

DTS 0460 Narrow Stile Codelock



DTS 0460 Narrow Stile Codelock

The narrow stile lock is a medium duty mechanical lock suitable for use with aluminium doors

The narrow stile lock must be used with Adams Rite mortice lock.

Features:

- * Narrow stile lock for aluminium doors
- * Designed to work with Adams Rite narrow stile lock cases
- * Non handed: lock will fit doors hung on the left or right
- * Weather resistant
- * Easy Code change
- * Over 8000 Different code options
- * Code free option available / key option also available
- * Finish stainless steel

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 5000 Codelock



DTS 5000 Codelock

This is a heavy duty keyless digital lock with full size lever handles, allowing us as a primary lock on most doors, particularly high traffic situations, finished in stainless steel.

Features

- * A simple cost effective access solutions
- * 500,000 operations from 4 x AA cells, batteries included
- * Easy installation and programming
- * 90 different user codes. Code may be 4,5 or 6 digit long
- * Durable, tested to over 1,000,000 cycles
- * Weather resistant
- * Remote push button and emergency alarm release
- * Door thickness 35 mm to 65 mm
- * Backset 60 mm, option of 70 mm available
- * DTS 5010 Tubular mortice latch * DTS 5020 Mortice lock
- * DTS 5010 B/B Back to back code option

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 2500 Digital Key Pad



DTS 2500 Digital Key pad

Features

- * 4 Digit code standalone keypad
- * 100 User codes
- * 12/24 V DC
- * Satin stainless steel housing surface
- * External rated
- * Metal buttons
- * Size 115 mm high x 80 mm wide x 20 mm deep
- * Consumption 70 ma @ 12 V
- * **DTS 2600 flush housing option available**
- * Size 135 mm high x 90 mm wide x 35 mm deep

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
Ws13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 2700 Narrow Style Digital Key Pad



DTS 2700 Narrow Style Digital Keypad

Features

- * Vandal resistant, solid one piece surface housing
- * Up to 200 user code of 4 to 8 digits
- * Water proof IP68 rated
- * Voltage 12 V AC / 12 V - 24 V DC
- * 120 ma power consumption
- * Bright aluminium housing
- * 2 LED
- * Size 181 mm high x 44.5 mm wide x 21 mm deep
- * DTS 2800 Flush / mortice option available
- * Size flush option 181 mm x 44.5 mm wide x 21 mm deep

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
Ws13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS Key pad



DTS K42 Key pad

Description

- * Suitable for internal/ sheltered external use
- * 12 V - 24V AC or DC voltage
- * Two 4 digit codes
- * Back light option
- * Voltage free relay output max 1 amp
- * 1-30 second door open time
- * Size 140 (H) x 80 (W) x 40 mm (D)

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS Easiprox



DTS Easiprox

- * Stand alone proximity system
- * 12VAC/DC
- * 2000 User codes
- * Integral reader/controller
- * Fully programmable
- * Externally rated (Ip67)
- * Size 85mm x 85mm x 20mm
- * Consumption: 70mA @ 12V
- * Relay rating : 3Amp @ 125VAC or 30VDC



DTS Easiprox Cards

- * **STS-PC** Standard card
- * **ISO** ISO Cards



DTS Easiprox Tags

- * **KT-10** Proximity token
- * All tags are random numbered

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS Easikey Control Unit



DTS EasikeyControl Unit

Easikey is a simple and easy to use access control system, that can be used to control one or two doors.

Description

- * Controls one or two doors
- * 99 or 198 users
- * 3 Amp power supply
- * Switch Feature
- * Pre-wired in metal case
- * Five year guarantee against electronic failure
- * Lifetime guarantee on PAC ID devices and readers

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

Door Hardware
Specialists

Door-Tech Solutions

DTS Easi Pac Solo Vandal Reader



Vandal Resistant (VR)



Key Pac Vandal Token

DTS Easi Pac Solo Vandal Reader

Description


- * Low cost single door access control system
- * Supplied with 10 key pac proximity ID Devices and 10 shadow cards
- * Includes two master keypac ID cards for programming
- * Up to 50 mm reading range
- * Up to 2000 users
- * Tamper protected
- * Door monitoring
- * Alarm output
- * Size 100 mm x 100 mm x 12 mm

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

Door-Tech Solutions

DTS Easi Pac Solo Standard Reader



Standard



Easi Pac Token

DTS Easi Pac Solo Standard Reader

Description

- * Low cost single door access control system
- * Supplied with 10 key pac proximity ID devices and 10 shadow cards
- * Includes two master keypac ID cards for programming
- * Up to 200m reading range
- * Up to 2000 users
- * Bi directional reading
- * Tamper protected
- * Door monitoring
- * Alarm output
- * Size 86mm x 86mm x 15mm

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS Easi Mullion Reader



DTS Easi Mullion Style Reader

The Easi Mullion style reader is a small well designed proximity reader, which is suitable for internal and external use and carries a lifetime guarantee against electronic failure.

Description

- * Up to 2.5 cm reading range
- * Easy to use
- * No moving parts
- * Lifetime guarantee against electronic failure
- * Lifetime guarantee on Pac tokens and cards
- * Available in Black or white

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

Door Hardware
Specialists

Door-Tech Solutions

DTS Easi Key Controller



DTS Easi Key Controller

Description

- * Controls one or two doors
- * 99 or 198 users
- * 3 Amp power supply
- * Switch feature
- * Pre-wired in metal case (optional)
- * Fiver year guarantee against electronic failure
- * Life time guarantee on PAC ID devices and readers

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 7000 Digital lock



DTS 7000 Digital Lock

A slimline digital lock for low traffic doors

Features

- * Clutch action protects lock if forced
- * Fully reversible
- * Easy code change

Finishes

- * Satin chrome plate
- * Polished brass
- * Black paint

Dimensions

- * Height 152mm
- * Width 57mm
- * Projection 60mm
- * Minimum stile width 59mm
- * Door thickness 35mm to 57mm

Options

- 7002 with dead bolt
- 7004 70mm backset tubular dead latch
- 7006 with rim latch

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk

DTS 1000 Digital lock



DTS 1000 Digital Lock

A mechanical digital lock for wood or metal doors

Features

- * Clutch action protects lock if forced
- * Easy code change
- * Anti friction tubular latch for easy fixing
- * Free exit at all times
- * Fully reversible
- * Suitable for 35mm to 54mm thick doors

Finishes

- * Satin chrome plate
- * Polished brass

Dimensions

- * Height 187mm
- * Width 83mm
- * Projection 97mm
- * Minimum stile 111mm
- * Backset 70mm
- * Latch bolt projection 13mm

Options

- 1011 standard lock
- 1012 with key override
- 1013 with passage function
- 95mm backset extension
- 127mm backset extension

Door-Tech Solutions Limited

4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636

Office : 01543 257 857

Fax : 01543 256 845

Email sales@doortechsolutions.co.uk

Web : www.doortechsolutions.co.uk

Door-Tech Solutions

DTS L1000 Digital lock



DTS L1000 Digital lock

A mechanical digital lock for wood or metal doors

Features

- * Clutch action protects lock if forced
- * Easy code change
- * Anti friction tubular latch for easy fixing
- * Free exit at all times
- * Suitable for 35mm to 54mm thick doors

Finishes

- * Satin chrome plate
- * Polished brass

Dimensions

- * Height 187mm
- * Width 83mm
- * Projection 97mm
- * Minimum site 111mm
- * Backset 70mm
- * Latch bolt projection 13mm

Options

- L1011 standard lock
- L1012 with key override
- L1013 with passage function
- 95mm backset extension
- 127mm backset extension

Door-Tech Solutions Limited

4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636

Office : 01543 257 857

Fax : 01543 256 845

Email sales@doortechsolutions.co.uk

Web : www.doortechsolutions.co.uk

Door-Tech Solutions

DTS 3000 Digital lock



DTS 3000 Digital lock

A mechanical digital lock, to suit narrow stile aluminium doors

Features

- * Clutch action protects lock if forced
- * Full reversible
- * Control key activates combination
- * Easy code change
- * Control key operates latch and sets passage function

Finishes

- * Satin chrome plate - standard
- * Dark bronze to special order

Options

- * 3010 RH or RHRB 25mm backset
- * 3020 LH or LHRB 25mm backset
- * 3030 RH or RHRB 29mm backset
- * 3040 LH or LHRB 29mm backset

Dimensions

- * Height 244mm
- * Width 39mm
- * Projection 67mm

The DTS 3000 digital lock requires a threaded mortice cylinder, latch and strike

Door-Tech Solutions Limited
4 Kean Close
Lichfield
Staffordshire
WS13 7EL

Mobile : 07811 114 636
Office : 01543 257 857
Fax : 01543 256 845
Email sales@doortechsolutions.co.uk
Web : www.doortechsolutions.co.uk